

Скрининг новорождённых детей на ВПС

SpO₂ на правой руке (преддуктально)

100	⚠	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚	✅	✅	✅
99	⚠	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚	✅	✅	✅	✅
98	⚠	⌚	⌚	⌚	⌚	⌚	⌚	⌚	✅	✅	✅	✅	✅
97	⚠	⌚	⌚	⌚	⌚	⌚	⌚	✅	✅	✅	✅	✅	⌚
96	⚠	⌚	⌚	⌚	⌚	⌚	⌚	✅	✅	✅	✅	⌚	⌚
95	⚠	⌚	⌚	⌚	⌚	⌚	⌚	✅	✅	✅	⌚	⌚	⌚
94	⚠	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚
93	⚠	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚
92	⚠	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚
91	⚠	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚
90	⚠	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚	⌚
≤89	⚠	⚠	⚠	⚠	⚠	⚠	⚠	⚠	⚠	⚠	⚠	⚠	⚠
	≤89	90	91	92	93	94	95	96	97	98	99	100	

SpO₂ на правой или левой ноге (постдуктально)

- ⚠ Необходимо обследование
- ⌚ Повторный скрининг через 1 час / обследование
- ✅ Обследование не требуется